Author Index Vols. 642 and 643

Abdel-Hamid, M. S., see Donnelly, J. R. 642(1993)409
Abrahamsson, K. and Ekdahl, A.
Gas chromatographic determination of halogenated organic compounds in water and sediment in the Skagerrak 643(1993)239
Ahmad, J., see Mohammad, A. 642(1993)445
Akimoto, H., see Yokouchi, Y. 642(1993)401
Alcaraz, J., see Zaromb, S. 643(1993)107
Alexander, R., see Fisher, S. J. 642(1993)205
Andersson, K., see Lindahl, R. 643(1993)35
Asakura, T., see Onodera, S. 642(1993)185
Ashbolt, N. J., see Nichols, P. D. 643(1993)189
Astier, A.
Chromatographic determination of volatile solvents and their metabolites in urine for monitoring occupational exposure (Review) 643(1993)389
Attard Barbini, D., see Di Muccio, A. 643(1993)363
Atwood, E. S., see Driscoll. J. N. 642(1993)435
Ausili, A., see Di Muccio, A. 643(1993)363
Bächmann, K., Haag, I., Prokop. T., Röder, A. and Wagner, P.
Chromatographic methods for the analysis of size-classified and individual raindrops 643(1993)181
Balinova, A.
Solid-phase extraction followed by high-performance liquid chromatographic analysis for monitoring herbicides in drinking water 643(1993)203
Bandow, H., see Yokouchi, Y. 642(1993)401
Barceló, D.
Environmental Protection Agency and other methods for the determination of priority pesticides and their transformation products in water (Review) 643(1993)117
Barker, S. A., see Walker, C. C. 642(1993)225
Barkley, D. J., Charbonneau, J. R., Chenier, M. J., Glasgow, C. C. and Graham, J. A.
Study of permanently coated columns for the high-performance liquid chromatographic determination of sulphur anions in environmental samples from metallurgical processes 642(1993)371
Barrefors, G. and Petersson, G.
Assessment of ambient volatile hydrocarbons from tobacco smoke and from vehicle emissions 643(1993)71
Bartle, K. D., see Janda, V. 642(1993)283
Beckett, R., see Murphy, D. M. 642(1993)459
Begum, T., see Rathore, H. S. 643(1993)271
Begum, T., see Rathore, H. S. 643(1993)321
Bianchi, A. P. and Varney, M. S.
Sampling and analysis of volatile organic compounds in estuarine air by gas chromatography and mass spectrometry 643(1992)11
Biggs, W. R., see Fetzer, J. C. 642(1993)319
Bonjour, R., see Frost, P. 643(1993)379
Brancaleoni, E., see Ciccioli, P. 643(1993)55
Brinkman, U. A. T., see Slobodnik, J. 642(1993)359
Brouwer, E. R., see Slobodnik, J. 642(1993)359
Burford, M. D., see Hawthorne, S. B. 642(1993)301
Burger, B. V. and Le Roux, M.
Trace determination of volatile organic compounds in water by enrichment in ultra-thick-film capillary traps and gas chromatography 642(1993)117
Butz, S. and Stan, H.-J.
Determination of chlorophenoxy and other acidic herbicide residues in ground water by capillary gas chromatography of their alkyl esters formed by rapid derivatization using various chloroformates 643(1993)227
Buzitis, J., see Krahn, M. M. 642(1993)15
Caixach, J., see Galceran, M. T. 643(1993)399
Camel, V., Tambuté, A. and Caude, M.
Analytical-scale supercritical fluid extraction: a promising technique for the determination of pollutants in environmental matrices (Review) 642(1993)263
Camenzind, R., see Frost, P. 643(1993)379
Castello, G. and Gerbino, T. C.
Analysis of polycyclic aromatic hydrocarbons with an ion-trap mass detector and comparison with other gas chromatographic and high-performance liquid chromatographic techniques 642(1993)351
Caude, M., see Camel, V. 642(1993)263
Cecinato, A., see Ciccioli, P. 643(1993)55
Cessna, A. J. and Kerr, L. A.
Use of an automated thermal desorption system for gas chromatographic analysis of the herbicides trifluralin and triallate in air samples 642(1993)417
Chan, S.-L., see Krahn, M. M. 642(1993)15
Charbonneau, J. R., see Barkley, D. J. 642(1993)371
Chenier, M. J., see Barkley, D. J. 642(1993)371
Chiba, M., see Singh, R. P. 643(1993)249
Churáček, J., see Ventura, K. 642(1993)379
Ciavatta, C. and Govi, M.
Use of insoluble polyvinylpyrrolidone and isoelectric focusing in the study of humic substances in soils and organic wastes (Review) 643(1993)261
Ciccioli, P., Brancaleoni, E., Cecinato, A., Sparapani, R. and Frattoni, M.
Identification and determination of biogenic and anthropogenic volatile organic compounds in forest areas of Northern and Southern Europe and a remote site of the Himalaya region by high-resolution gas chromatography–mass spectrometry 643(1993)55
Clifford, A. A., see Janda, V. 642(1993)283
Coates, J. A., see Davis, W. M. 643(1993)341
Colli, M., Zabarini, L., Melzi d'Eril, G. V. and Marchetti, R.
Evaluation of a modified Marcali technique with high-performance liquid chromatography–ultraviolet detection for the determination of 2,4-toluene diisocyanate in air 643(1993)51
Coquart, V., see Hennion, M.-C. 642(1993)211
Corasaniti, M. T. and Nisticò, G.
Determination of paraquat in rat brain by high-performance liquid chromatography 643(1993)419

Cserháti, T. and Forgács, E.
Separation of some chlorophenoxyacetic acid congeners on a porous graphitized carbon column 643(1993)331
Davis, W. M., Coates, J. A., Garcia, K. L., Signorella, L. L. and Delfino, J. J.
Efficient screening method for determining base/neutral and acidic semi-volatile organic priority pollutants in sediments 643(1993)341
De Jong, A. P. J. M., Liem, A. K. D. and Hoogerbrugge, R.
Study of polychlorinated dibenzodioxins and furans from municipal waste incinerator emissions in the Netherlands: analytical methods and levels in the environment and human food chain (Review) 643(1993)91
Delfino, J. J., see Davis, W. M. 643(1993)341
De Wilde, O., see Van der Poll, J. M. 643(1993)163
Di Corcia, A., Marchese, S. and Samperi, R.
Evaluation of graphitized carbon black as a selective adsorbent for extracting acidic organic compounds from water 642(1993)163
Di Corcia, A., Marchese, S. and Samperi, R.
Selective determination of phenols in water by a two-trap tandem extraction system followed by liquid chromatography 642(1993)175
Di Muccio, A., Dommarco, R., Attard Barbini, D., Santilio, A., Girolimetti, S., Ausili, A., Ventriglia, M., Generali, T. and Vergori, L.
Application of solid-phase partition cartridges in the determination of fungicide residues in vegetable samples 643(1993)363
Dommarco, R., see Di Muccio, A. 643(1993)363
Dong, M. W., see Grosser, Z. A. 642(1993)75
Donnelly, J. R., Abdel-Hamid, M. S., Jeter, J. L. and Gurka, D. F.
Application of gas chromatographic retention properties to the identification of environmental contaminants 642(1993)409
Doretti, L., see Sturaro, A. 643(1993)435
Dostál, M., see Ventura, K. 642(1993)379
Driscoll, J. N. and Atwood, E. S.
Application of gas chromatography with photoionization and electron-capture detectors for field screening of semi-volatiles in soil and water 642(1993)435
Duinker, J. C., see Kannan, N. 642(1993)425
Eckert-Tilotta, S., see Hawthorne, S. B. 642(1993)301
Ekdahl, A., see Abrahamsson, K. 643(1993)239
Elkins, J. W., see Sturges, W. T. 642(1993)123
Fatima, N., see Mohammad, A. 642(1993)445
Fetzer, J. C. and Biggs, W. R.
Use of full-spectrum absorbance and emission detectors in environmental analyses (Review) 642(1993)319
Fisher, S. J., Alexander, R. and Kagi, R. I.
Size-exclusion chromatography on zeolites in the trace analysis of polyaromatic hydrocarbons and organochlorine pesticides 642(1993)205
Font, G., see Mañes, J. 642(1993)195
Font, G., Mañes, J., Moltó, J. C. and Picó, Y.
Solid-phase extraction in multi-residue pesticide analysis of water (Review) 642(1993)135
Forgács, E., see Cserháti, T. 643(1993)331
Frattoni, M., see Ciccioli, P. 643(1993)55
Frost, P., Camenzind, R., Mägert, A., Bonjour, R. and Karlaganis, G.
Organic micropollutants in Swiss sewage sludge 643(1993)379
Fu, P. P., Zhang, Y., Mao, Y.-L., Von Tungeln, L. S., Kim, Y., Jung, H. and Jun, M.-J.
Relationships of structures of nitro-polycyclic aromatic hydrocarbons with high-performance liquid chromatography retention order 642(1993)107
Fukui, S., see Ogawa, S. 643(1993)221
Furton, K. G., Jolly, E. and Pentzke, G.
Recent advances in the analysis of polycyclic aromatic hydrocarbons and fullerenes (Reviews) 642(1993)33
Galceran, M. T., Santos, F. J., Caixach, J., Ventura, F. and Rivera, J.
Environmental analysis of polychlorinated terphenyls: distribution in shellfish from the Ebro Delta (Mediterranean) 643(1993)399
Garbarino, J. R., see Murphy, D. M. 642(1993)459
Garcia, K. L., see Davis, W. M. 643(1993)341
Generali, T., see Di Muccio, A. 643(1993)363
Gerbino, T. C., see Castello, G. 642(1993)351
Ghaoui, L.
Analysis of semivolatile organic compounds by headspace gas chromatography 642(1993)389
Girolimetti, S., see Di Muccio, A. 643(1993)363
Glasgow, C. C., see Barkley, D. J. 642(1993)371
Goto, S., see Kobayashi, H. 643(1993)197
Govi, M., see Ciavatta, C. 643(1993)261
Graham, J. A., see Barkley, D. J. 642(1993)371
Groenewegen, M. G. M., see Slobodnik, J. 642(1993)359
Grosser, Z. A., Ryan, J. F. and Dong, M. W.
Environmental chromatographic methods and regulations in the United States of America (Review) 642(1993)75
Gurka, D. F., see Donnelly, J. R. 642(1993)409
Haag, I., see Bächmann, K. 643(1993)181
Hanasaki, Y., see Ogawa, S. 643(1993)221
Hart, B. T., see Murphy, D. M. 642(1993)459
Hawthorne, S. B., Miller, D. J., Burford, M. D., Langenfeld, J. J., Eckert-Tilotta, S. and Louie, P. K.
Factors controlling quantitative supercritical fluid extraction of environmental samples 642(1993)301
He, D., see Lai, J. Y. K. 643(1993)77
Heftmann, E.
Preface 642(1993)1
Hennion, M.-C. and Coquart, V.
Comparison of reversed-phase extraction sorbents for the on-line trace enrichment of polar organic compounds in environmental aqueous samples 642(1993)211
Hirayama, N., see Onodera, S. 642(1993)185
Holdsworth, D. G., see Volkman, J. K. 643(1993)209
Hoogerbrugge, R., see De Jong, A. P. J. M. 643(1993)91
Hynning, P.-Å., Remberger, M., Neilson, A. H. and Stanley, P.
Identification and quantification of 18-nor- and 19-norditerpenes and their chlorinated analogues in samples of sediment and fish 643(1993)439
Janda, V., Bartle, K. D. and Clifford, A. A.
Supercritical fluid extraction in environmental analysis (Review) 642(1993)283

Jefferies, T. M., see Mills, A. G. 643(1993)409
Jeter, J. L., see Donnelly, J. R. 642(1993)409
Jimbo, Y., see Kobayashi, H. 643(1993)197
Jiminez-Conde, F., see Ling, C. F. 643(1993)351
Jolly, E., see Furton, K. G. 642(1993)33
Jun, M.-J., see Fu, P. P. 642(1993)107
Jung, H., see Fu, P. P. 642(1993)107
Kagi, R. I., see Fisher, S. J. 642(1993)205
Kaljurand, M., see Smit, H. C. 642(1993)53
Kamata, K., see Motohashi, N. 643(1993)1
Kami, H., see Ogawa, S. 643(1993)221
Kannan, N., Petrick, G., Schultz-Bull, D. E. and Duinker, J. C.
Chromatographic techniques in accurate analysis of chlorobiphenyls 642(1993)425
Kano, I., see Suzuki, T. 643(1993)173
Karlaganis, G., see Frost, P. 643(1993)379
Kerr, L. A., see Cessna, A. J. 642(1993)417
Khan, M. A. M., see Mohammad, A. 642(1993)455
Kim, Y., see Fu, P. P. 642(1993)107
Kita, H., see Ogawa, S. 643(1993)221
Kobayashi, H., Ohyama, K., Tomiyama, N., Jimbo, Y., Matano, O. and Goto, S.
Determination of pesticides in river water by gas chromatography–mass spectometry–selected-ion monitoring 643(1993)197
Kohno, T., see Kuwata, K. 643(1993)25
Kondo, M., see Yokoyama, Y. 643(1993)169
Kovačičová, J., see Tekel', J. 643(1993)291
Krahn, M. M., Ylitalo, G. M., Buzitis, J., Chan, S.-L. and Varanasi, U.
Rapid high-performance liquid chromatographic methods that screen for aromatic compounds in environmental samples (Review) 642(1993)15
Kuwata, K., see Tsujino, Y. 642(1993)383
Kuwata, K., Yamashita, Y., Nakashima, S., Nakato, Y., Kohno, T., Tanaka, S., Okumura, T. and Yamaguchi, Y.
Practical method for monitoring polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans in the atmosphere 643(1993)25
Kuwatsuka, S., see Spitzer, T. 643(1993)305
Lai, J. Y. K. , Matisová, E., He, D., Singer, E. and Niki, H.
Evaluation of capillary gas chromatography for the measurement of C_2–C_{10} hydrocarbons in urban air samples for air pollution research 643(1993)77
Langenfeld, J. J., see Hawthorne, S. B. 642(1993)301
Latham, V., see Nichols, P. D. 643(1993)189
Lawson, D., see Zaromb, S. 643(1993)107
Leeming, R., see Nichols, P. D. 643(1993)189
Le Roux, M., see Burger, B. V. 642(1993)117
Lesage, S.
Methods for the analysis of hazardous wastes (Review) 642(1993)65
Levin, J.-O., see Lindahl, R. 643(1993)35
Liem, A. K. D., see De Jong, A. P. J. M. 643(1993)91
Lindahl, R., Levin, J.-O. and Andersson, K.
Determination of volatile amines in air by diffusive sampling, thiourea formation and high-performance liquid chromatography 643(1993)35
Lindner, W., see Seidel, V. 642(1993)253
Ling, C. F., Melian, G. P., Jiminez-Conde, F. and Revilla, E.
High-performance liquid chromatographic analysis of carbofuran residues in tomatoes grown in hydroponics 643(1993)351
Lingeman, H., see Slobodnik, J. 642(1993)359
Lott, H. M., see Walker, C. C. 642(1993)225
Louie, P. K., see Hawthorne, S. B. 642(1993)301
Mägert, A., see Frost, P. 643(1993)379
Majid Khan, M. A., see Mohammad, A. 642(1993)445
Mañes, J., see Font, G. 642(1993)135
Mañes, J., Font, G. and Picó, Y.
Evaluation of a solid-phase extraction system for determining pesticide residues in milk 642(1993)195
Mao, Y.-L., see Fu, P. P. 642(1993)107
Marchese, S., see Di Corcia, A. 642(1993)163
Marchese, S., see Di Corcia, A. 642(1993)175
Marchetti, R., see Colli, M. 643(1993)51
Matano, O., see Kobayashi, H. 643(1993)197
Matano, O., see Shiga, N. 643(1993)311
Matisová, E., see Lai, J. Y. K. 643(1993)77
May, W. E., see Wise, S. A. 642(1993)329
McGarvey, B. D.
High-performance liquid chromatographic methods for the determination of N-methylcarbamate pesticides in water, soil, plants and air (Review) 642(1993)89
Melian, G. P., see Ling, C. F. 643(1993)351
Melzi d'Eril, G. V., see Colli, M. 643(1993)51
Meyer, R., see Motohashi, N. 643(1993)1
Miller, D. J., see Hawthorne, S. B. 642(1993)301
Mills, A. G. and Jefferies, T. M.
Rapid isolation of polychlorinated biphenyls from milk by a combination of supercritical-fluid extraction and supercritical-fluid chromatography 643(1993)409
Moats, W. A., see Shaikh, B. 643(1993)369
Mohammad, A., Fatima, N., Ahmad, J. and Majid Khan, M. A.
Planar layer chromatography in the analysis of inorganic pollutants (Review) 642(1993)445
Mohammad, A. and Khan, M. A. M.
New surface-modified sorbent layer for the analysis of toxic metals in seawater and industrial wastewater 642(1993)455
Moltó, J. C., see Font, G. 642(1993)135
Motohashi, N., Kamata, K. and Meyer, R.
Chromatographic techniques used to determine benz[*c*]acridines in environmental samples (Review) 643(1993)1
Murakami, T., see Tsukioka, T. 642(1993)395
Murphy, D. M., Garbarino, J. R., Taylor, H. E., Hart, B. T. and Beckett, R.
Determination of size and element composition distributions of complex colloids by sedimentation field-flow fractionation–inductively coupled plasma mass spectrometry 642(1993)459
Nagatsuka, A., see Onodera, S. 642(1993)185
Nakashima, S., see Kuwata, K. 643(1993)25
Nakato, Y., see Kuwata, K. 643(1993)25
Neilson, A. H., see Hynning, P.-Å. 643(1993)439

Nguyen, V. D. and Rossbach, M.
Ion chromatographic investigation of brown algae (*Fucus vesiculosus*) of the German Environmental Specimen Bank 643(1993)427
Nichols, P. D., Leeming, R., Rayner, M. S., Latham, V., Ashbolt, N. J. and Turner, C.
Comparison of the abundance of the fecal sterol coprostanol and fecal bacterial groups in inner-shelf waters and sediments near Sydney, Australia 643(1993)189
Niki, H., see Lai, J. Y. K. 643(1993)77
Nisticò, G., see Corasaniti, M. T. 643(1993)419
Noble, A.
Partition coefficients (*n*-octanol–water) for pesticides (Review) 642(1993)3
Norén, K. and Sjövall, J.
Liquid–gel partitioning and enrichment in the analysis of organochlorine contaminants (Review) 642(1993)243
Ogawa, S., Kita, H., Hanasaki, Y., Fukui, S. and Kami, H.
Determination of the potent mutagen 3-chloro-4-dichloromethyl-5-hydroxy-2(5*H*)-franone (MX) in water by gas chromatography with electron-capture detection 643(1993)221
Ohyama, K., see Kobayashi, H. 643(1993)197
Okumura, T., see Kuwata, K. 643(1993)25
Onodera, S., Nagatsuka, A., Rokuhara, T., Asakura, T., Hirayama, N. and Suzuki, S.
Re-evaluation of solid-phase adsorption and desorption techniques for isolation of trace organic pollutants from chlorinated water 642(1993)185
Ozawa, H., see Tsukioka, T. 642(1993)395
Parvoli, G., see Sturaro, A. 643(1993)435
Pearson, K. S., see Simon, V. A. 643(1993)317
Pentzke, G., see Furton, K. G. 642(1993)33
Petersson, G., see Barrefors, G. 643(1993)71
Petrick, G., see Kannan, N. 642(1993)425
Picó, Y., see Font, G. 642(1993)135
Picó, Y., see Mañes, J. 642(1993)195
Prokop, T., see Bächmann, K. 643(1993)181
Rathore, H. S. and Begum, T.
Thin-layer chromatographic methods for use in pesticide residue analysis (Review) 643(1993)271
Rathore, H. S. and Begum, T.
Thin-layer chromatographic behaviour of carbamate pesticides and related compounds 643(1993)321
Rayner, M. S., see Nichols, P. D. 643(1993)189
Remberger, M., see Hynning, P.-Å. 643(1993)439
Revilla, E., see Ling, C. F. 643(1993)351
Richardson, D. E., see Volkman, J. K. 643(1993)209
Rivera, J., see Galceran, M. T. 643(1993)399
Röder, A., see Bächmann, K. 643(1993)181
Rokuhara, T., see Onodera, S. 642(1993)185
Rolfe, C., see Sherma, J. 643(1993)337
Rossbach, M., see Nguyen, V. D. 643(1993)427
Ryan, J. F., see Grosser, Z. A. 642(1993)75
Samperi, R., see Di Corcia, A. 642(1993)163
Samperi, R., see Di Corcia, A. 642(1993)175
Sánchez-Camazano, M. and Sánchez-Martín, M. J.
Mobility of cadmium as influenced by soil properties, studied by soil thin-layer chromatography 643(1993)357
Sánchez-Martín, M. J., see Sánchez-Camazano, M. 643(1993)357
Sander, L. C., see Wise, S. A. 642(1993)329
Santilio, A., see Di Muccio, A. 643(1993)363
Santos, F. J., see Galceran, M. T. 643(1993)399
Sato, H., see Yokoyama, Y. 643(1993)169
Schröder, H. F.
Pollutants in drinking water and waste water 643(1993)145
Schultz-Bull, D. E., see Kannan, N. 642(1993)425
Seidel, V., Tschernuter-Meixner, I. and Lindner, W.
Sandwich-type extraction column with on-line sulphuric acid treatment for the determination of organochlorine compounds in vegetable oil or oil seeds by gas chromatography with electron-capture detection 642(1993)253
Shaikh, B. and Moats, W. A.
Liquid chromatographic analysis of antibacterial drug residues in food products of animal origin (Review) 643(1993)369
Sherma, J. and Rolfe, C.
Determination of diflubenzuron residues in water by solid-phase extraction and quantitative high-performance thin-layer chromatography 643(1993)337
Shiga, N. and Matano, O.
High-performance liquid chromatographic method for the determination of oxolinic acid residues in crops 643(1993)311
Signorella, L. L., see Davis, W. M. 643(1993)341
Simon, V. A., Pearson, K. S. and Taylor, A.
Determination of N-methylcarbamates and N-methylcarbamoyloximes in water by high-performance liquid chromatography with the use of fluorescence detection and a single *o*-phthalaldehyde post-column reaction 643(1993)317
Singer, E., see Lai, J. Y. K. 643(1993)77
Singh, R. P. and Chiba, M.
Determination of benomyl and its degradation products by chromatographic methods in water, wettable powder formulations, and crops (Review) 643(1993)249
Sinkkonen, S.
Environmental analysis of chlorinated aromatic thioethers, sulphoxides and sulphones (Review) 642(1993)47
Sjövall, J., see Norén, K. 642(1993)243
Slobodnik, J., Groenewegen, M. G. M., Brouwer, E. R., Lingeman, H. and Brinkman, U. A. T.
Fully automated multi-residue method for trace level monitoring of polar pesticides by liquid chromatography 642(1993)359
Smit, H. C. and Kaljurand, M.
Different approaches for improving the precision in chromatographic analysis of environmental samples by optimum signal processing and correlation techniques (Review) 642(1993)53
Sparapani, R., see Ciccioli, P. 643(1993)55
Spitzer, T.
Selective clean-up for polynuclear aromatic compounds in airborne particles and soil 643(1993)43

Spitzer, T. and Kuwatsuka, S.
Residue levels of polynuclear aromatic compounds in urban surface soil from Japan 643(1993)305
Stan, H.-J., see Butz, S. 643(1993)227
Stanley, P., see Hynning, P.-Å. 643(1993)439
Sturaro, A., Parvoli, G. and Doretti, L.
Plane tree bark as a passive sampler of polycyclic aromatic hydrocarbons in an urban environment 643(1993)435
Sturges, W. T. and Elkins, J. W.
Use of adsorbents to collect selected halocarbons and hydrohalocarbons of environmental interest from large air volumes 642(1993)123
Suzuki, S., see Onodera, S. 642(1993)185
Suzuki, T., Yaguchi, K. and Kano, I.
Screening methods for asulam, oxine-copper and thiram in water by high-performance liquid chromatography after enrichment with a minicolumn 643(1993)173
Tambuté, A., see Camel, V. 642(1993)263
Tanaka, S., see Kuwata, K. 643(1993)25
Taylor, A., see Simon, V. A. 643(1993)317
Taylor, H. E., see Murphy, D. M. 642(1993)459
Tekel', J. and Kovačičová, J.
Chromatographic methods in the determination of herbicide residues in crops, food and environmental samples (Review) 643(1993)291
Tomiyama, N., see Kobayashi, H. 643(1993)197
Tschernuter-Meixner, I., see Seidel, V. 642(1993)253
Tsujino, Y. and Kuwata, K.
Sensitive flame ionization detector for the determination of traces of atmospheric hydrocarbons by capillary column gas chromatography 642(1993)383
Tsukioka, T., Ozawa, H. and Murakami, T.
Gas chromatographic–mass spectrometric determination of lower aliphatic tertiary amines in environmental samples 642(1993)395
Turner, C., see Nichols, P. D. 643(1993)189
Van der Poll, J. M., Versluis-de Haan, G. G. and De Wilde, O.
Determination of ethylenethiourea in water samples by gas chromatography with alkali flame ionization detection and mass spectrometric confirmation 643(1993)163
Varanasi, U., see Krahn, M. M. 642(1993)15
Varney, M. S., see Bianchi, A. P. 643(1992)11
Ventriglia, M., see Di Muccio, A. 643(1993)363
Ventura, F., see Galceran, M. T. 643(1993)399
Ventura, K., Dostál, M. and Churáček, J.
Retention characteristics of some volatile compounds on Tenax GR 642(1993)379
Vergori, L., see Di Muccio, A. 643(1993)363
Versluis-de Haan, G. G., see Van der Poll, J. M. 643(1993)163
Volkman, J. K., Holdsworth, D. G. and Richardson, D. E.
Determination of resin acids by gas chromatography and high-performance liquid chromatography in paper mill effluent, river waters and sediments from the upper Derwent Estuary, Tasmania 643(1993)209
Von Tungeln, L. S., see Fu, P. P. 642(1993)107
Wagner, P., see Bächmann, K. 643(1993)181
Walker, C. C., Lott, H. M. and Barker, S. A.
Matrix solid-phase dispersion extraction and the analysis of drugs and environmental pollutants in aquatic species (Review) 642(1993)225
Wise, S. A., Sander, L. C. and May, W. E.
Determination of polycyclic aromatic hydrocarbons by liquid chromatography 642(1993)329
Woo, C. S., see Zaromb, S. 643(1993)107
Yaguchi, K., see Suzuki, T. 643(1993)173
Yamaguchi, Y., see Kuwata, K. 643(1993)25
Yamashita, Y., see Kuwata, K. 643(1993)25
Ylitalo, G. M., see Krahn, M. M. 642(1993)15
Yokouchi, Y., Bandow, H. and Akimoto, H.
Development of automated gas chromatographic–mass spectrometric analysis for natural volatile organic compounds in the atmosphere 642(1993)401
Yokoyama, Y., Kondo, M. and Sato, H.
Determination of alkylbenzenesulphonates in environmental water by anion-exchange chromatography 643(1993)169
Zabarini, L., see Colli, M. 643(1993)51
Zaromb, S., Alcaraz, J., Lawson, D. and Woo, C. S.
Detection of airborne cocaine and heroin by high-throughput liquid-absorption preconcentration and liquid chromatography–electrochemical detection 643(1993)107
Zhang, Y., see Fu, P. P. 642(1993)107